

## Author index of Volume 112\*

- Akay, H.U., see Ecer, A. (1-4) 91-108
- Behr, M. and T.E. Tezduyar, Finite element solution strategies for large-scale flow simulations (1-4) 3- 24
- Brandon, S., see Derby, J.J. (1-4) 69- 89
- Chalot, F. and T.J.R. Hughes, A consistent equilibrium chemistry algorithm for hypersonic flows (1-4) 25- 40
- Chang, W. and N. Kikuchi, An adaptive remeshing method in the simulation of Resin Transfer Molding (RTM) process (1-4) 41- 68
- Derby, J.J., S. Brandon, A.G. Salinger and Q. Xiao, Large-scale numerical analysis of materials processing systems: High-temperature crystal growth and molten glass flows (1-4) 69- 89
- Ecer, A., H.U. Akay, W.B. Kemle, H. Wang, D. Ercoskun and E.J. Hall, Parallel computation of fluid dynamics problems (1-4) 91-108
- Ercoskun, D., see Ecer, A. (1-4) 91-108
- Fujima, S., M. Tabata and Y. Fukasawa, Extension to three-dimensional problems of the upwind finite element scheme based on the choice of up- and downwind points (1-4) 109-131
- Fukasawa, Y., see Fujima, S. (1-4) 109-131
- Glowinski, R., T.-W. Pan and J. Periaux, A fictitious domain method for external incompressible viscous flow modeled by Navier-Stokes equations (1-4) 133-148
- Hall, E.J., see Ecer, A. (1-4) 91-108
- Hughes, T.J.R., see Chalot, F. (1-4) 25- 40
- Ikegawa, M., M. Kaiho and C. Kato, FEM/FDM composite scheme for viscous incompressible flow analysis (1-4) 149-163
- Kaiho, M., see Ikegawa, M. (1-4) 149-163
- Kaneko, N., T. Kodama and M. Kawahara, Estimation of eddy viscosity coefficient in a periodic shallow water equation (1-4) 165-183
- Kashiyama, K. and M. Sakuraba, Adaptive boundary-type finite element method for wave diffraction-refraction in harbors (1-4) 185-197
- Kato, C., see Ikegawa, M. (1-4) 149-163
- Kawahara, M. and Y. Shimada, A predictive control method to operate the water gate of a dam (1-4) 199-218
- Kawahara, M., see Kaneko, N. (1-4) 165-183

\* The issue number is given in front of the page numbers.

- Kawamoto, S. and T. Tanahashi, High-speed GSMAC-FEM for wind engineering (1-4) 219-226
- Kemle, W.B., see Ecer, A. (1-4) 91-108
- Kikuchi, N., see Chang, W. (1-4) 41- 68
- Kodama, T., see Kaneko, N. (1-4) 165-183
- Kondo, N., Third-order upwind finite element solutions of high Reynolds number flows (1-4) 227-251
- Mittal, S. and T.E. Tezduyar, Massively parallel finite element computation of incompressible flows involving fluid-body interactions (1-4) 253-282
- Mizukami, A., Element-by-element penalty/Uzawa formulation for large scale flow problems (1-4) 283-289
- Nomura, T., ALE finite element computations of fluid-structure interaction problems (1-4) 291-308
- Oden, J.T., Optimal  $h$ - $p$  finite element methods (1-4) 309-331
- Pan, T.-W., see Glowinski, R. (1-4) 133-148
- Periaux, J., see Glowinski, R. (1-4) 133-148
- Sakuraba, M., see Kashiwama, K. (1-4) 185-197
- Salinger, A.G., see Derby, J.J. (1-4) 69- 89
- Shimada, Y., see Kawahara, M. (1-4) 199-218
- Tabata, M., see Fujima, S. (1-4) 109-131
- Tanahashi, T., see Kawamoto, S. (1-4) 219-226
- Tezduyar, T.E., see Behr, M. (1-4) 3- 24
- Tezduyar, T.E., see Mittal, S. (1-4) 253-282
- Wang, H., see Ecer, A. (1-4) 91-108
- Xiao, Q., see Derby, J.J. (1-4) 69- 89

## Subject index of Volume 112\*

### *Calculus of variations*

- Optimal  $h$ - $p$  finite element methods, J.T. Oden (1-4) 309–331

### *Control theory*

- A predictive control method to operate the water gate of a dam, M. Kawahara and Y. Shimada (1-4) 199–218

### *Coupled problems*

- Massively parallel finite element computation of incompressible flows involving fluid–body interactions, S. Mittal and T.E. Tezduyar (1-4) 253–282  
ALE finite element computations of fluid–structure interaction problems, T. Nomura (1-4) 291–308

### *Finite difference methods*

- FEM/FDM composite scheme for viscous incompressible flow analysis, M. Ikegawa, M. Kaiho and C. Kato (1-4) 149–163

### *Finite element and matrix methods*

- Finite element solution strategies for large-scale flow simulations, M. Behr and T.E. Tezduyar (1-4) 3– 24  
A consistent equilibrium chemistry algorithm for hypersonic flows, F. Chalot and T.J.R. Hughes (1-4) 25– 40  
An adaptive remeshing method in the simulation of Resin Transfer Molding (RTM) process, W. Chang and N. Kikuchi (1-4) 41– 68  
Large-scale numerical analysis of materials processing systems:  
High-temperature crystal growth and molten glass flows, J.J. Derby, S. Brandon, A.G. Salinger and Q. Xiao (1-4) 69– 89  
Parallel computation of fluid dynamics problems, A. Ecer, H.U. Akay, W.B. Kemle, H. Wang, D. Ercoskun and E.J. Hall (1-4) 91–108  
Extension to three-dimensional problems of the upwind finite element scheme based on the choice of up- and downwind points, S. Fujima, M. Tabata and Y. Fukasawa (1-4) 109–131  
A fictitious domain method for external incompressible viscous flow modeled by Navier–Stokes equations, R. Glowinski, T.-W. Pan and J. Periaux (1-4) 133–148  
FEM/FDM composite scheme for viscous incompressible flow analysis, M. Ikegawa, M. Kaiho and C. Kato (1-4) 149–163  
Estimation of eddy viscosity coefficient in a periodic shallow water equation, N. Kaneko, T. Kodama and M. Kawahara (1-4) 165–183  
Adaptive boundary-type finite element method for wave diffraction-refraction in harbors, K. Kashiya and M. Sakuraba (1-4) 185–197  
A predictive control method to operate the water gate of a dam, M. Kawahara and Y. Shimada (1-4) 199–218  
High-speed GSMAC-FEM for wind engineering, S. Kawamoto and T. Tanahashi (1-4) 219–226

\* The issue number is given in front of the page numbers.

- Third-order upwind finite element solutions of high Reynolds number flows,  
N. Kondo (1-4) 227-251
- Massively parallel finite element computation of incompressible flows involving  
fluid-body interactions, S. Mittal and T.E. Tezduyar (1-4) 253-282
- Element-by-element penalty/Uzawa formulation for large scale flow problems,  
A. Mizukami (1-4) 283-289
- ALE finite element computations of fluid-structure interaction problems,  
T. Nomura (1-4) 291-308
- Optimal  $h$ - $p$  finite element methods, J.T. Oden (1-4) 309-331

### *Fluid mechanics*

- Finite element solution strategies for large-scale flow simulations, M. Behr and  
T.E. Tezduyar (1-4) 3- 24
- A consistent equilibrium chemistry algorithm for hypersonic flows, F. Chalot  
and T.J.R. Hughes (1-4) 25- 40
- An adaptive remeshing method in the simulation of Resin Transfer Molding  
(RTM) process, W. Chang and N. Kikuchi (1-4) 41- 68
- Large-scale numerical analysis of materials processing systems:  
High-temperature crystal growth and molten glass flows, J.J. Derby,  
S. Brandon, A.G. Salinger and Q. Xiao (1-4) 69- 89
- Parallel computation of fluid dynamics problems, A. Ecer, H.U. Akay,  
W.B. Kemle, H. Wang, D. Ercoskun and E.J. Hall (1-4) 91-108
- Extension to three-dimensional problems of the upwind finite element scheme  
based on the choice of up- and downwind points, S. Fujima, M. Tabata and  
Y. Fukasawa (1-4) 109-131
- A fictitious domain method for external incompressible viscous flow modeled  
by Navier-Stokes equations, R. Glowinski, T.-W. Pan and J. Periaux (1-4) 133-148
- FEM/FDM composite scheme for viscous incompressible flow analysis,  
M. Ikegawa, M. Kaiho and C. Kato (1-4) 149-163
- Estimation of eddy viscosity coefficient in a periodic shallow water equation,  
N. Kaneko, T. Kodama and M. Kawahara (1-4) 165-183
- Adaptive boundary-type finite element method for wave diffraction-refraction  
in harbors, K. Kashiya and M. Sakuraba (1-4) 185-197
- A predictive control method to operate the water gate of a dam, M. Kawahara  
and Y. Shimada (1-4) 199-218
- High-speed GSMAC-FEM for wind engineering, S. Kawamoto and  
T. Tanahashi (1-4) 219-226
- Third-order upwind finite element solutions of high Reynolds number flows,  
N. Kondo (1-4) 227-251
- Massively parallel finite element computation of incompressible flows involving  
fluid-body interactions, S. Mittal and T.E. Tezduyar (1-4) 253-282
- Element-by-element penalty/Uzawa formulation for large scale flow problems,  
A. Mizukami (1-4) 283-289
- ALE finite element computations of fluid-structure interaction problems,  
T. Nomura (1-4) 291-308
- Optimal  $h$ - $p$  finite element methods, J.T. Oden (1-4) 309-331

### *Gas dynamics*

- A consistent equilibrium chemistry algorithm for hypersonic flows, F. Chalot  
and T.J.R. Hughes (1-4) 25- 40



*Incompressible and near incompressible media*

- Extension to three-dimensional problems of the upwind finite element scheme based on the choice of up- and downwind points, S. Fujima, M. Tabata and Y. Fukasawa (1-4) 109-131
- FEM/FDM composite scheme for viscous incompressible flow analysis, M. Ikegawa, M. Kaiho and C. Kato (1-4) 149-163
- Third-order upwind finite element solutions of high Reynolds number flows, N. Kondo (1-4) 227-251
- Massively parallel finite element computation of incompressible flows involving fluid-body interactions, S. Mittal and T.E. Tezduyar (1-4) 253-282
- Element-by-element penalty/Uzawa formulation for large scale flow problems, A. Mizukami (1-4) 283-289
- ALE finite element computations of fluid-structure interaction problems, T. Nomura (1-4) 291-308

*Modern computer architecture*

- Parallel computation of fluid dynamics problems, A. Ecer, H.U. Akay, W.B. Kemle, H. Wang, D. Ercoskun and E.J. Hall (1-4) 91-108
- Massively parallel finite element computation of incompressible flows involving fluid-body interactions, S. Mittal and T.E. Tezduyar (1-4) 253-282

*Numerical solution procedures*

- A fictitious domain method for external incompressible viscous flow modeled by Navier-Stokes equations, R. Glowinski, T.-W. Pan and J. Periaux (1-4) 133-148
- Element-by-element penalty/Uzawa formulation for large scale flow problems, A. Mizukami (1-4) 283-289
- Optimal *h-p* finite element methods, J.T. Oden (1-4) 309-331

*Problems in physics*

- A consistent equilibrium chemistry algorithm for hypersonic flows, F. Chalot and T.J.R. Hughes (1-4) 25- 40
- An adaptive remeshing method in the simulation of Resin Transfer Molding (RTM) process, W. Chang and N. Kikuchi (1-4) 41- 68
- Large-scale numerical analysis of materials processing systems:  
High-temperature crystal growth and molten glass flows, J.J. Derby, S. Brandon, A.G. Salinger and Q. Xiao (1-4) 69- 89

*Subsonic flow*

- Finite element solution strategies for large-scale flow simulations, M. Behr and T.E. Tezduyar (1-4) 3- 24
- High-speed GSMAC-FEM for wind engineering, S. Kawamoto and T. Tanahashi (1-4) 219-226

*Supersonic flow*

- Finite element solution strategies for large-scale flow simulations, M. Behr and T.E. Tezduyar (1-4) 3- 24

*Transonic flow*

- Finite element solution strategies for large-scale flow simulations, M. Behr and T.E. Tezduyar (1-4) 3- 24

*Transport phenomena*

- Estimation of eddy viscosity coefficient in a periodic shallow water equation,  
N. Kaneko, T. Kodama and M. Kawahara (1-4) 165-183
- High-speed GSMAC-FEM for wind engineering, S. Kawamoto and  
T. Tanahashi (1-4) 219-226

*Turbulence*

- Estimation of eddy viscosity coefficient in a periodic shallow water equation,  
N. Kaneko, T. Kodama and M. Kawahara (1-4) 165-183

*Viscoelastic and viscoplastic media*

- Large-scale numerical analysis of materials processing systems: High-  
temperature crystal growth and molten glass flows, J.J. Derby,  
S. Brandon, A.G. Salinger and Q. Xiao (1-4) 69- 89

*Viscous flow*

- Finite element solution strategies for large-scale flow simulations, M. Behr and  
T.E. Tezduyar (1-4) 3- 24
- A fictitious domain method for external incompressible viscous flow modeled  
by Navier-Stokes equations, R. Glowinski, T.-W. Pan and J. Periaux (1-4) 133-148
- FEM/FDM composite scheme for viscous incompressible flow analysis,  
M. Ikegawa, M. Kaiho and C. Kato (1-4) 149-163
- Third-order upwind finite element solutions of high Reynolds number flows,  
N. Kondo (1-4) 227-251
- Massively parallel finite element computation of incompressible flows involving  
fluid-body interactions, S. Mittal and T.E. Tezduyar (1-4) 253-282
- Element-by-element penalty/Uzawa formulation for large scale flow problems,  
A. Mizukami (1-4) 283-289
- ALE finite element computations of fluid-structure interaction problems,  
T. Nomura (1-4) 291-308

*Wave motion*

- Adaptive boundary-type finite element method for wave diffraction-refraction  
in harbors, K. Kashiwama and M. Sakuraba (1-4) 185-197

